

Dry skin

Generally, dry skin can be caused by:

- Increasing age.
- Family tendency.
- Low humidity.
- Heaters/air conditioners.
- Baths/showers - too long, too often, too hot.
- Some diseases - diabetes, thyroid, kidney, liver.

Avoiding the following can also help:

- Shampooing in the bath or shower (washing hair over a basin is best).
- Hot or restricting nightwear / bedding / clothes /underwear.
- Electric blankets.
- Wool, nylon against the skin.



Contact us

Phone 0800 739 432 Monday to Friday to book your appointment at one of the Auckland Sexual Health Clinics or visit our website www.ashs.org.nz for more information around opening hours

Locations

Greenlane Clinical Centre
Building 7 Level 3
Greenlane West

North Shore
418 Glenfield Rd
Glenfield

South Auckland
652 Great South Road, Manukau
(Southpoint)

West Auckland
20 Sel Peacock Drive
Henderson

This fact sheet is designed to provide you with information on disease. It is not intended to replace the need for an appointment with your doctor. People are strongly advised to check with their healthcare provider about any specific questions or concerns. Every effort has been taken to ensure that the information in this pamphlet is correct

Te Whatu Ora
Health New Zealand

Te Whatu Ora
Health New Zealand

Auckland Sexual Health
Services

Facts about
genital skin

How to look after your genital skin?

Almost all conditions affecting genital skin will benefit by simple changes to routine skin washing:

- Avoid soap (see soap substitutes).
- Keep to short, warm, not hot showers, and bathing (too hot will increase itch, too long causes more dryness).
- Plain or salt water (1/4 teaspoon/1 cup or 1-2 teaspoons/litre of warm water). This is especially good if various creams and lotions have irritated the skin.

Genital first aid

Salt-water baths, 1 handful in a shallow bath, soak for 10-15 minutes, 2-3 times a day.

Use if the skin is split, ulcerated, weepy or tender and swollen.

If urination is very painful, try passing urine in the bath, otherwise, coat the skin with zinc and castor oil cream or Vaseline and then try.

Pat dry gently and apply the medication or moisturizer immediately afterwards.

Bathing /soaking should usually stop after 3-4 days. Excessive soaks can over dry the skin.

Soap Substitutes

Soap substitutes can be used for otherwise intact but dry or irritated skin.

Aqueous or Sorbolene creams are cheap and effective. Apply before the area is wetted and rinse off lightly. A slight greasy film should remain.

Both are excellent moisturisers to be applied any time and very soothing if applied cold (refrigerated).

Specific shower/bath lotions or oils are more expensive but easier to apply. Examples include:

- Cetaphil
- QV
- Alpha-Keri